

CHÆTODON SQUAMULOSUS.



CHARACTER GENERICUS.

Dentes (plerisque) setacei, flexiles, confertissimi,
numerofilimi.

Membrana branchioslega radiis sex.

Corpus plerumque fasciatum. *Pinna dorsi* anique
carnosa squamosa.

CHARACTER SPECIFICUS, &c.

CHÆTODON viridi-aureus, squamis squamu-
lofis.

ACARAUNA MAJOR, &c.

Catæb. 2. p. 31. t. 31.

Piscem dépinximus non modica pulchritudine,
juxta Americæ et insularum adjacentium litora co-
piose satis generatum, squamis insigniter coniectum
quæ ipsæ minutius squamatæ: quod vel solum spe-
ciem satis denotet. Non raro errant auctores, qui
nihil distare opinantur hunc piscem a *Chætodonte*
tristego Linnæi; dicitque eos in errorem quod falso
citatur in systematis Linnæani editione duodecima,
indeque in alia multa opera irrepit.

Accidere

Accidere solet huic quod et aliis plerisque pisca-
bus, ut diversis anni temporibus variet color; magis
scilicet minusve aureus, pinnis itidem magis mi-
nusve rubro-cæruleis.

A. 10



THE
DOUBLE-SCALED CHÆTODON.



GENERIC CHARACTER.

Teeth (in most species) setaceous, small, very numerous.

Body commonly fasciated transversely. Dorsal and anal fins fleshy and scaly towards the base.

SPECIFIC CHARACTER, &c.

Gold-green CHÆTODON, with the scales coated with smaller ones.

The ANGEL-FISH.

This beautiful fish is not uncommon about the coasts of America and the West Indian islands. It is remarkable for the very singular appearance of its scales; which are each coated over with much smaller ones; a particularity alone sufficient to distinguish this species from almost all others. It is often confounded with the Chætodon triostegus of Linnæus; owing to a mistaken quotation in the twelfth

twelfth edition of the *Systema Naturæ* of that author, and which has been carelessly repeated by several others. In color, like most fishes, it varies at different seasons; being sometimes of a far richer and more golden tinge than at others; as well as with the blue and scarlet of the fins either deeper or lighter according to circumstances.